


## Roller bearing NQI20-12-JTEKT - NQI20-12-JTEKT

<https://www.123bearing.ie/bearing-housing/roller-bearing/roller/nqi20-12-jtekt>

Machined ring needle roller bearings Koyo

$F_w$  29 ~ 37 mm

With inner ring



| Boundary dimensions (mm) |    |    |    | Basic load ratings (kN) |                 | Limiting speeds <sup>1)</sup> (min <sup>-1</sup> ) |       | Bearing No.<br>Without inner ring |   |
|--------------------------|----|----|----|-------------------------|-----------------|--|-------|-----------------------------------|---|
| $F_w$                    | d  | D  | B  | $C_r$                   | $C_{10}$        | Oil lub.   |       |                                   |   |
| 24                       | 20 | 32 | 12 | 9.6                     | 14.4            | 19 000   | —     |                                   |   |
| Mounting dimensions (mm) |    |    |    | (Refer.) Mass (kg)      |                 | (Refer.) Applicable inner ring No.                 |       |                                   |   |
| With inner ring          |    |    |    | Without inner ring      | With inner ring |  |       |                                   |   |
| NQI20/12                 |    |    |    | 22                      | 30              | 0.3  | 0.025 | 0.038                             | — |

[Note] 1) Limiting speeds of bearing number NA49. LU indicates the value of sealed and grease lubricated bearings.  
[Remark] Limiting speed of grease lubrication should be kept to under 60 % of that for oil lubrication.

## PRODUCT FEATURES

|                  |               |
|------------------|---------------|
| Brand            | JTEKT         |
| N° Ean13         | 3663952482309 |
| Inside diameter  | 20 mm         |
| Outside diameter | 32 mm         |
| Thickness        | 12 mm         |
| Weight           | 38 g          |
| Packaging        | 1             |

[contact@123bearing.ie](mailto:contact@123bearing.ie)

+33 359 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE